Celebrating 42 Years of Excellence

PROSTHETIC & ORTHOTIC UPDATE

A Publication of Nobbe Orthopedics, Inc. No. 47

# The Prosthetic High-Tech Explosion

Prosthetic science—long a rather docile entity characterized by periodic improvements making momentary headlines—has suddenly discovered steroids.

Generated by new applications of space-age materials and digital technology, fresh thinking about how to enhance prosthetic outcomes, and America's experience in rehabilitating its amputee casualties in Iraq and Afghanistan, prosthetics in the 21st century has become downright exciting, and a bright future of continuing innovation awaits.

**Prosthetics Tomorrow**

*Rheo Knee™*
*Courtesy Össur*

This momentum swing might well be traced to the introduction of the C-Leg® microprocessor-controlled knee-shin component for transfemoral prostheses in 1997. The C-Leg has become the poster child for adaptation of computer technology to limb prostheses, having now been fitted on more than 13,000 people worldwide.

But fame is fleeting: The C-Leg has been eased off the front page by some remarkable new upper-extremity components, the first powered lower-limb prostheses to reach the market, and the promise of a whole new way of attaching prosthetic limbs to the body.

We're not yet to the time of Steve Austin, TV's Six Million Dollar Man, but led by some inspiring research initiatives (see page 3), we're getting there.

*C-Leg® epitomizes prosthetic advances.*
*Courtesy Otto Bock Health Care*

## Microprocessor-Controlled Knees

Otto Bock's C-Leg and its recently introduced competitor, the Össur Rheo Knee™, use an on-board microprocessor to adjust prosthetic leg swing in real time in response to the wearer's cadence, toe and heel loading, and other gait variables. As a result, the leg is ready for heel strike at just the right instant, providing above-knee amputees with unprecedented security, gait flexibility, greater freedom of movement, natural swing motion and reduced walking fatigue.



*i-LIMB—Hand of the future? See page 3.*
*Courtesy Touch Bionics*

Microprocessor-controlled knee systems enable wearers to change walking speed, negotiate uneven terrain, walk up and down slopes, and descend stairs step-over-step.

***(Continued on page 2)***

## *A Relationship Business*

Nobbe Orthopedics maintains a longstanding relationship with Össur (formerly Iceross), creator of the Proprio Foot (see page 4). When Iceross first started, the company operated a manufacturing facility in nearby Carpinteria, Cal. Over the years, Össur used various Nobbe patients for prototype testing and as models for training courses conducted at that facility.

This and other key relationships have helped enable us to provide comprehensive prosthetic and orthotic services for nearly three decades. For example, we are on staff at all local hospitals where we enjoy great rapport with physicians, giving us access to records, radiological and operative reports, and other needed documentation. Moreover, our relationships with insurance providers have given us a good track record of obtaining coverage for the devices we create.

Also key are the relationships between our practitioners and our patients. We are dedicated to providing each patient with the most functionally appropriate componentry to match his or her capabilities, physiology and lifestyle aspirations. We have a history of creating innovative O&P solutions, such as the "PalGuard", a non-weight-bearing post-op device now sold by Orthomerica. We continue to work with manufacturers in creating new rehabilitation device solutions.

We hope you find this newsletter to be informative and professionally relevant, and we welcome your questions, comments and referrals.

# Prosthetic Limbs of Tomorrow Making Preview Appearances Today

*(Continued from page 1)*

The C-Leg now incorporates several new enhancements that improve its performance even further, including:

• a new standing mode, which stabilizes the knee, taking weight off the sound limb and allowing the user to relax while standing;

• a wireless remote control, which enables users to switch easily between modes as well as fine tune swing phase dynamics for different activities; and

• a widened scope of application that now includes transfemoral, knee-disarticulation, hip-disarticulation, and hemipelvectomy amputees.



*Typical CAD-CAM software display.*

*Courtesy Ohio Willow Wood*

### Sockets and a New Attachment Method

Technologically advanced distal componentry demands comparable improvement at the crucial point of integration between prosthesis and biological limb. Typically this connection is achieved by a socket suspended from the residual limb.

*BioScanner™ portable CAD-CAM scanner*

*Courtesy BioSculptor*

Among the advances in socket design and fabrication are new and improved CAD-CAM systems, through which more precise, more functional and more comfortable sockets can be provided than ever before in substantially less time.

CAD-CAM systems include a measurement device, or digitizer, to input the residual limb topography; design software on which to create the unique socket shape that will address the patient's physical capabilities, residual limb anomalies and functional desires as closely as possible; and a carving machine to render the finished socket from the finished digital design.

Recent improvements in prosthetic-orthotic CAD-CAM systems have made the limb measurement process considerably easier and faster for patients. With one of the new non-contact optical devices, such as Ohio Willow Wood's Omega Tracer T-Ring™ II or BioSculptor's hand-held BioScanner™, a test socket for an amputee patient can be fabricated in less than an hour, shortening the pre-prosthetic period by days and giving prosthetists more time to spend with their patients.

*Omega Tracer T-Ring™ II captures residual limb shape in moments.*

*Courtesy Ohio Willow Wood*

Among emerging socket designs, the Marlo Anatomical Socket (MAS) stands out for its innovation and potential benefits to appropriate above-knee amputees. This socket features a markedly lower posterior brim than other A/K designs and a pronounced medial alignment, which facilitates a more normal and more energy-efficient gait than provided by other ischial containment or quadrilateral sockets.

MAS users generally demonstrate an increased range of hip motion and report the socket is more comfortable to wear, whether standing, walking, or sitting down.

*MAS socket's pronounced adduction alignment facilitates more normal prosthetic gait.*

*Courtesy Marlo Ortiz, P.O.*

Perhaps the greatest potential development in prosthetic attachment does away with the socket altogether, instead anchoring the prosthesis to the residual limb by a titanium bolt surgically implanted directly into the distal residual bone. Though not yet approved by the Food and Drug Administration for use in the United States, this process of *osseointegration* has been used successfully with more than 100 lower-limb and more than 30 upper-limb patients in Europe.




*Osseointegration cross section*

Osseointegration shows the potential to eliminate most if not all of the problems inherent in prosthetic socket attachment for appropriate patients:

• End weight-bearing is restored;

• prosthetic limb control is greatly enhanced while energy expenditure is substantially reduced;

• risk of sudden prosthesis detachment from the body is minimized;

• user perception of the limb's place in space is much improved; and

• residual limb pain and skin breakdown caused by constant contact with the socket environment are virtually eliminated.

Osseointegration, already approved for dental and maxillofacial applications, is expected to be approved for orthopedic use in the United States within five years.

### Upper-Limb Innovation

For several decades, upper-extremity prosthetics has led the way in high-tech prosthetic applications with myoelectric control of battery-powered hand, elbow and wrist actuators. Leading systems such as Motion Control's Utah Arm series continue to improve through upgraded components, while new offerings, such as the Otto Bock Dynamic Arm, help to raise the performance bar.

Like many newly introduced products, the Dynamic Arm offers certain advantages over the field, including faster elbow actuation, greater lifting capacity (13 pounds) and a more natural swing motion.

An intriguing new entry into upper-limb componentry is a new terminal device developed in Scotland that features five distinct fingers, each powered by separated motors. The i-LIMB Hand (see photo, page 1) is still in its infancy at this point—the fingers, though individually powered, can only move together. However, individual finger actuation is anticipated in the next few years with the development of improved control systems.

### Powered Lower Limbs

Until now, powered components have been limited to upper-extremity applications. That all changed with the recent introduction by Össur of its Power Knee and Proprio Foot prostheses. These components, and others like them that will undoubtedly follow, promise to significantly reduce the effort and energy expenditure of walking while enabling appropriate amputees to ambulate confidently over uneven terrain and on stairs and providing a major assist for sitting and rising.

*Proprio Foot*

*Courtesy Össur*

These, like many of the other products described in this newsletter, are not yet ready for the general amputee population. Some are still in the research and development stage; others carry a whopping price tag well beyond the budget of the average American.

But the good news is that the innovation we're seeing today will become the reality of tomorrow. Prospects for improved prosthetic capabilities have never been brighter.

*Dynamic Arm offers new capabilities to transhumeral amputees.*

*Courtesy Otto Bock Health Care*

## Walter Reed, DARPA Pushing Prosthetic Horizon

Recent componentry breakthroughs like those discussed in this newsletter give testimony to new efforts to develop markedly improved prosthetic solutions for people with congenital and acquired limb deficiencies. As encouraging as these new systems might be, two major research initiatives now under way suggest "You ain't seen nothin' yet!"

One program has evolved from efforts to provide a new level of restored function to military personnel who have lost a limb in the ongoing U.S. campaigns in Afghanistan and Iraq. Most of these typically young and vital men and women are treated at Walter Reed Army Medical Center (WRAMC), an acknowledged world leader in amputee rehabilitation.

**Research Report**

WRAMC's determination to carry out a grateful nation's desire to provide the maximum possible rehabilitation to more than 300 combat amputees is contributing valuable new insights into the management of younger men and women with a traumatic limb loss. This growing body of knowledge, dubbed the "Walter Reed Experience," will likely influence amputee care in both military and civilian sectors for years to come.

• For example, lower-limb amputees are routinely evaluated at the center's gait laboratory to analyze and optimize their prosthetic ambulation. Their outcomes could conceivably help justify Medicare and private insurance coverage of computerized gait analysis, currently not reimbursed in most instances. Walter Reed clinicians have found gait and motion analysis particularly helpful for making component choices and as an educational tool for both patients and rehab team members.

• Another finding reveals that a microprocessor knee system such as the C-Leg can be used throughout a new above-knee amputee's progression from initial prosthetic intervention to final definitive prosthesis, saving weeks of lost time and progress while adjusting to periodic applications of sequentially more capable knee units as the patient becomes stronger and more functional. The microprocessor knee system can be programmed to accommodate the user's abilities at any stage of rehabilitation.

• Upper-extremity amputees, who generally require a period of postoperative healing before prosthetic application, are being prepared for rehabilitation by early identification of myoelectric control sites on intact muscles in the residual limb, which the recovering patient is trained to use through video games. In learning to generate the right electromyographic signals to operate the games, amputees thus become ready to control a myoelectric prosthesis when cleared to do so, while enjoying a therapeutic, competitive activity.

Meanwhile, the Defense Advance Research Products Agency (DARPA) has launched a major drive to produce a better prosthetic arm for soldier amputees, and ultimately civilians as well. In a two-phase, four-year $70 million program, DARPA is involving leading engineers, prosthesis developers, neuroscientists and others to develop a replacement limb that is:

• highly functional (capable of 22 independent movements as compared with a maximum of three in today's prosthetic arms);

• lightweight (weighing no more than a typical human arm);

• "sensitive" to pressure, heat and cold; and

• "aware" of where it is in space.

Lofty ambitions? Perhaps, but this is the same country whose innovation put a man on the moon within eight years of its first manned space flight. With the proper attention and resources now being devoted to the effort, don't be surprised at what might develop.

## *Down to Cases*

# Nobbe Patient Among First To Receive a Proprio Foot

In December, Nobbe Orthopedics became one of the first O&P practices in the United States to fit Össur's new Proprio Foot. For well-selected patients, this powered system provides a new level of prosthetic function, notably in walking on uneven surfaces, climbing and descending stairs, and rising from a sitting position.

Our patient, a 35-year-old heavy equipment operator, was injured in April 2005 when a cable snapped under load, severing his right leg just above the ankle and crushing his left foot and ankle. After various surgeries, his sound side presented the primary rehabilitation limitations as he was non-weight-bearing on his left leg for four months.

Initial prosthetic intervention commenced on the right limb eight weeks post-injury; the limb was 100 percent weight-bearing from Day 1. Our patient was initially fitted with a silicone locking liner and basic SACH foot, anticipating extensive and rapid alignment and volume changes. Eight months post-injury, when he had been cleared for weight-bearing as tolerated for normal ADLs and was progressing rapidly, we provided a new prosthesis consisting of a more advanced Ceterus Foot with flexible socket and locking liner.

Fifteen months post-injury, he was cleared for unrestricted weight-bearing and all activity on his left, sound, side. However, he still exhibits limited range of motion on his sound side, an impediment to his new position as a construction site manager, which requires frequent terrain accommodation.

This patient is highly motivated and has actively researched his prosthetic foot options throughout his rehabilitation. The Proprio Foot caught his eye for its rapid compensation for unlevel ground and facilitation of stair climbing and descending. As a young, vital unilateral amputee with good understanding of the Proprio Foot's operation, benefits and limitations, he proved an excellent candidate to access this new technology.

The Proprio Foot enables users to ambulate confidently on many surfaces. It identifies slopes and stairs after the first step and signals the ankle to flex appropriately for the next step. With a traditional prosthesis, the foot and shin are locked at a 90 degree angle, making negotiating stairs, walking on ramps, and rising from a sitting position quite difficult. This new component computes the correct degree of plantar flexion or dorsi flexion for each next step and positions the foot accordingly.

***Our patient's Proprio Foot limb during fitting.***

Our patient's early experience with his Proprio Foot has been encouraging. He appreciates the advanced function it provides as he works part-time on different and varying job sites when not undergoing therapy. He also acknowledges the anticipated drawbacks we identified while researching this device: It is heavy as prosthetic feet go, and because it moves, it does not lend itself to a cosmetic cover. The foot also has required some early maintenance, as would be expected with a brand new product, and presents a bit of a noise problem in quiet environments, such as church. Then there's the ever-present cost issue: This foot is definitely not inexpensive.

All that said, however, the functional advantages for this patient and others who will wear the Proprio Foot in the future will more than offset the disadvantages. It's an exciting step forward in prosthetic rehabilitation.

*Mention of specific products in our newsletter neither constitutes endorsement nor implies that we will recommend selection of those particular products for use with any particular patient or application. We offer this information to enhance professional and individual understanding of the orthotic and prosthetic disciplines and the experience and capabilities of our practice.*

*We gratefully acknowledge the assistance of the following resources used in compiling this issue:*

*BioSculptor • Ohio Willow Wood • Marlo Ortiz, P.O.*
*Össur • Otto Bock Health Care • Touch Bionics*

**PROSTHETIC & ORTHOTIC UPDATE**

A Publication of
Nobbe Orthopedics, Inc.

3010 State Street
Santa Barbara, CA 93105
(805) 687-7508
FAX (805) 687-6251

203 East Fesler
Santa Maria, CA 93454
(805) 925-8290
FAX (805) 346-8713

**www.nobbeorthopedics.com**



**Nobbe Orthopedics, Inc.**
3010 State St. • Santa Barbara, CA 93105